

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/606,716	06/26/2003	Marian Rudolf	I-2-0361.1US	5784
24374 7590 04/24/2007 VOLPE AND KOENIG, P.C.			EXAMINER	
DEPT. ICC			LU, ZHIYU	
UNITED PLAZA, SUITE 1600 30 SOUTH 17TH STREET PHILADELPHIA, PA 19103			ART UNIT	PAPER NUMBER
			. 2618	
CHOP TENED OT A TUTOR	W DEDICE OF DESCRIPTION			
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		04/24/2007	PAPER	

## Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)
	10/606,716	RUDOLF ET AL.
Office Action Summary	Examiner	Art Unit
•	Zhiyu Lu	2618
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet wi	th the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNIC 36(a). In no event, however, may a re will apply and will expire SIX (6) MON c, cause the application to become AB	CATION.  Sply be timely filed  ITHS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133).
Status	•	
1) ⊠ Responsive to communication(s) filed on <u>27 F</u> 2a) □ This action is <b>FINAL</b> . 2b) ⊠ This      3) □ Since this application is in condition for allowarclosed in accordance with the practice under E	action is non-final. nce except for formal matte	·
Disposition of Claims		
4) ☐ Claim(s) 25-38 is/are pending in the applicatio 4a) Of the above claim(s) is/are withdra  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 25-38 is/are rejected.  7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to drawing(s) be held in abeyantion is required if the drawing	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in A rity documents have been u (PCT Rule 17.2(a)).	pplication No received in this National Stage
Attachment(s)		•
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s	iummary (PTO-413) )/Mail Date iformal Patent Application

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in

37 CFR 1.17(e), was filed in this application after final rejection. Since this application is

eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e)

has been timely paid, the finality of the previous Office action has been withdrawn pursuant to

37 CFR 1.114. Applicant's submission filed on 02/27/2007 has been entered.

Information Disclosure Statement

2. The information disclosure statement filed 03/07/2007 fails to comply with 37 CFR

1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent

literature publication or that portion which caused it to be listed; and all other information or that

portion which caused it to be listed. It has been placed in the application file, but the information

referred to therein has not been considered.

Response to Arguments

3. Applicant's arguments filed 02/27/2007 have been fully considered but they are not

persuasive.

Regarding rejections on claims 25-37, Applicants have argued that Lieshout et al. do not teach an

SRNC sending user measurements to the DRNC.

Art Unit: 2618

In Applicant's published Application, paragraph 0017 discloses "Prefereably, the D-RNC information request message can not request the WTRU 24<sub>2</sub> to make and send measurements, but the D-RNC 38 requests such measurement information currently available at the S-RNC 40." It shows that D-RNC needs measurement information for allocating resource when the WTRU does not establish connection with D-RNC yet.

Lieshout et al. teach situations where a UE locates in either SRNC or DRNC (Figs. 2-3). The DRNC by itself is able to allocate resources based on available parameters (paragraphs 0035 and 0042). Yet, Lieshout et al. disclose that the DRNC acquires resource regulation from SRNC instead of measurements (paragraph 0042). Fauconnier et al. disclose an intermediate situation (Fig. 6) where a UE sends its measurements on DRNC to SRNC before connection establishment with DRNC, so that the SRNC can provide DRNC information (Fig. 6, paragraphs 0078, 0096). Thus, it would have been obvious to one of ordinary skill in the art to recognize that the DRNC by itself can also allocate resources before channel establishing with a drifting UE, where required parameters such as UE measurements can be obtained from SRNC.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/606,716

Art Unit: 2618

4. Claims 25-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lieshout et al. (US2002/0094833) in view of Fauconnier et al. (US2002/0025820), and Terry et al. (US2003/0016641).

Regarding claim 36, Lieshout et al. teach a method for use in a wideband code division multiple access communication system having a serving radio network controller (SRNC) and a drift radio network controller (DRNC), the method comprising:

Note: It is known that a RNC can be as either a SRNC or a DRNC, which depends on the perspective of a user equipment (UE).

requesting by one of the DRNC (28 of Fig. 3) and the SRNC (26 of Fig. 3) common measurements using a global procedures module of a radio network sublayer application part (RNSAP) procedures over a radio network controller interface (IUR) for an other of the DRNC and the SRNC (paragraph 0042), the common measurements including received total wideband power and load (Figs. 2-4, paragraphs 0014-0016);

in response to receiving requests for the common measurements using the global procedures module of the RNSAP procedures from the IUR by the other of the DRNC and the SRNC, sending a response message using the global procedures module of the RNSAP procedures over the IUR (paragraphs 0014-0016);

SRNC taking measurements in received signal strength, SIR, etc. for determining transmit power (paragraphs 0038-0040), and taking measurements in power strength and interference (paragraphs 14, 40); and

the SRNC in response to receiving the request for user measurements, sending the user measurement to the DRNC using RNSAP procedures over the IUR (paragraphs 0014-0016).

Application/Control Number: 10/606,716

Art Unit: 2618

But, Lieshout et al. do not expressly disclose common measurements including global positioning system (GPS) timing information; and the DRNC requesting user measurements from the SRNC using the RNSAP procedures over the IUR, the user measurements including received signal code power (RSCP) and interference signal code power (ISCP)

Fauconnier et al. teach common measurements including global positioning system (GPS) timing information (paragraph 0109); and a SRNC sending UE measurements on a DRNC to the DRNC (Fig. 6, paragraph 0078), which would have been obvious to one of ordinary skill in the art to recognize that a DRNC is able to allocate resources based on measurements sent from a SRNC before establishing connection with a drifting UE.

Ranta teaches taking measurement of a downlink common control physical channel (CCPCH) received signal code power (RSCP) in relation to power control (paragraph 0059).

Terry et al. teach taking measurements in received signal code power (RSCP) and interference signal code power (ISCP) (paragraph 0008).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate RSCP and ISCP taught by Terry et al. and GPS timing info with modifying sending measurements from SRNC to DRNC taught by Fauconnier et al. into the measurements method of Leishout et al., in order to use for connection resource allocation in DRNC.

Regarding claim 25, Leishout et al., Fauconnier et al., and Terry et al. teach a wideband code division multiple access (W-CDMA) drift radio network controller (DRNC) as explained in

Art Unit: 2618

response to claim 36 above, where a logic device configured to control a measurement request device in inherent in radio network controller.

Regarding claim 29, Leishout et al., Fauconnier et al., and Terry et al. teach a wideband code division multiple access (W-CDMA) serving radio network controller (SRNC) as explained in response to claim 36 above, where a measurement response device is inherent in radio network controller.

Regarding claim 32, Leishout et al., Fauconnier et al., and Terry et al. teach a wideband code division multiple access (W-CDMA) radio network controller (RNC) configured to operate as a serving radio network controller (SRNC) and a drift radio network controller (DRNC) as explained in response to claim 36 above, where a logic device configured to control a measurement request device is inherent in radio network controller.

Regarding claim 38, Leishout et al., Fauconnier et al., and Terry et al. teach a wideband code division multiple access (W-CDMA) drift radio network controller (DRNC) as explained in response to claim 36 above, where a radio resource management device configured to use the RSCP and ISCP user measurements to control resources of cells associated with the user measurements is inherent in radio network controller.

Regarding claims 26, 30, 33 and 37, Leishout et al., Fauconnier et al., and Terry et al. teach the limitations of claims 25, 29, 32 and 36.

Art Unit: 2618

Terry et al. teach the RSCP is the RSCP of a common control channel (paragraph 0008).

Regarding claims 27 and 34, Leishout et al., Fauconnier et al., and Terry et al. teach the limitations of claims 25 and 32.

Leishout et al. teach the measurement request device is configured to receive responses the requests for common measurements and user measurements (paragraph 0014).

Regarding claims 28 and 35, Leishout et al., Fauconnier et al., and Terry et al. teach the limitations of claims 25 and 32.

Terry et al. teach a measurement collection device (CQ storage device in base station) for storing the received responses (paragraph 0021)

Regarding claim 31, Leishout et al., Fauconnier et al., and Terry et al. teach the limitation of claim 29.

Leishout et al. teach the measurement response device is configured to retrieve the user measurements from a measurement collection device (paragraphs 0035, 0043-0044).

## Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zhiyu Lu whose telephone number is (571) 272-2837. The examiner can normally be reached on Weekdays: 9AM-5PM.

Application/Control Number: 10/606,716

Art Unit: 2618

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Zhiyu Lu April 12, 2007

NAY MAUNG SUPERVISORY PATENT EXAMINER Page 8